

CHANGING BEACON STATUS IN THE IBRD

<https://406registration.com>

BEFORE YOU BEGIN – REQUIRED INFORMATION



Beacon Hex ID



Login and Password for your IBRD account

STEP 1

Visit the IBRD website at
<https://406registration.com>

The screenshot shows the website's registration interface. At the top, the browser address bar displays 'staging.406registration-staging.com'. The website header includes the '406 IBRD COSPAS-SARSAT' logo and navigation links for 'HOME', 'Beacon Registration Contacts', and 'Approved Beacon Models (TACs)'. A language dropdown menu is set to 'English'. The main content area is split into two columns: 'Registering a beacon for the first time? Sign up for an account' and 'Already registered a beacon in the IBRD? Enter your credentials below to login'. The registration form includes fields for 'Hex ID' and 'Beacon checksum (optional)', with a 'Create Account' button. The login form includes fields for 'Username' and 'Password', with a 'Login' button and a 'Forgot your password?' link. Below the forms is a 'Looking for help?' section with a 'View all FAQ's' link and four FAQ cards: 'What is a Hex ID, and where can I find mine?', 'How do I find my beacon type approval certificate (TAC) number?', 'How can I determine the country code of my beacon?', and 'How do I contact you if I have further questions?'.

STEP 2

Log in with your username and password

Already registered a beacon in the IBRD?
Enter your credentials below to login



Login to add a new beacon or update an existing IBRD account.

Username 

 Username

Password



Login

Username is required!

[Forgot your password?](#)

STEP 3


Accept the site use disclaimer and proceed to the dashboard, which will display your currently registered Hex IDs.

The screenshot shows the dashboard for the 406 IBRD COSPAS-SARSAT International Beacon Registration Database. The 'Beacons' tab is active, displaying a table of registered beacons. The table has columns for Beacon Hex ID, Type, Status, Vehicle, Beacon Owner, Last Edit Date, Aircraft 24 Bit Address (Decoded 24 Bit Address), and Beacon C-S Type Approval Number. Two beacons are listed, both with a status of 'Active' and a last edit date of 2022/07/06.

	Beacon Hex ID	Type	Status	Vehicle	Beacon Owner	Last Edit Date	Aircraft 24 Bit Address (Decoded 24 Bit Address)	Beacon C-S Type Approval Number
	19AE134E1CFFBFF	PLB-Serial	Active		Demo User	2022/07/06		38
	19AE134E1EFFBFF	PLB-Serial	Active		Demo User	2022/07/06		38

STEP 4

On the Dashboard screen, identify the HexID that you would like to change the status for, and click on the corresponding entry in the “Status” column




The screenshot shows a web interface for managing beacons. It features two tabs: 'Beacons' (selected) and 'Activities'. Below the tabs, there is a summary bar indicating 'Total records: 2', 'Page: 1 of 1', and 'Records per page 25'. An 'Export records' button is also present. The main content is a table with the following columns: Beacon Hex ID, Type, Status, Vehicle, and Beacon Owner. Two rows of data are visible, both with 'Active' status links. An orange arrow points to the 'Active' link in the second row.

	Beacon Hex ID	Type	Status	Vehicle	Beacon Owner
	19AE134E1CFFBFF	PLB-Serial	Active		Demo User
	19AE134E1EFBFF	PLB-Serial	Active		Demo User


STEP 5

Select the appropriate Status for your record, and click the red “Save” button



STATUS UPDATE COMPLETE!

You will be returned to the dashboard screen, where you should see that the status for your registration record has been updated.



The screenshot shows a web interface for managing beacons. At the top, there are two tabs: "Beacons" (active) and "Activities". Below the tabs, the interface displays "Total records: 2", "Page: 1 of 1", "Records per page 25", and an "Export records" button. The main content is a table with the following data:

	Beacon Hex ID	Type	Status	Vehicle	Beacon Owner
	19AE134E1CFFBFF	PLB-Serial	Sold		Demo User
	19AE134E1EFBFF	PLB-Serial	Active		Demo User