

ICEBREAKER ALE

Call sign SBPQ IMO 734 7639 MMSI 265 348 000 Ice class 1A S Ice breaker

Main dimensions

Length o.a 48.70 m
Beam 13.00 m
Draught 5.40 m
Air draught 22.00 m
Displacement 1,540 t



Machinery

Total power 4,750 hp

Main engines 4 x Wärtsilä 824 TS each 1,258 hp

Main propeller

Aft 2 x Strömberg GTCUL 655 B3 each 1,725 kW

Rudder 2 pcs

Speed in open water 12 kts - approx 8,4 m³ MGO/24 hours Normal seaspeed 8 kts - approx 3,6 m³ MGO/24 hours

Ice breaking capability of 0.6 m level ice at 3 knots

Auxiliary engines and generators

Diesel generator 1 x Volvo Penta D7 139 kW

2 x Volvo Penta D9 each 239 kW

Supply system 240/380 VAC

Air bubble system

The ice breaker is equipped with a system for producing air bubbles along the ship's hull, reducing the friction between the ship's hull and the ice.

Ale is designed as an escort icebreaker, purpose built to operate in Lake Vänern. It's beam and draft are adjusted to the locks in Trollhätte Canal. Ale has over the last few years been upgraded both materially and technically.



Vessel details

Bollard pull

Continuous forward 51 tonnes.

Towing equipment

Norwinch towing winch, 20 tonnes.

Life saving equipment

MOB 1 x Norvik 470

Liferaft 2 x Viking DK, 12 persons each

2 x Unitor TOB liferaft, 25 persons each

Accommodation

Single cabin 12

Other Sauna, gym, hospital and dayroom.

Navigational equipment

GMDSS Sailor

ARPA Selesmar Selux


ECDIS Adveto
Echo sounder Skipper
Gyro compass Sperry
AIS SAAB
GPS Furuno

Tank capacities

Fresh water 76 m³
Diesel 316 m³
Luboil 5 m³

Contact the vessel

bridge@ale.sjofartsverket.se



Building yard OY Wärtsilä AB, Helsinki, Finland in year 1973

Swedish Maritime Administration opc@sjofartsverket.se 0046 771 63 00 00